Contents

Foreword v

Professeur Jacques Durand vii

9. MAGNETISM

The impact of amorphous metals on the field of soft magnetic materials 1
H. Warlimont (Stuttgart, F.R.G.)

Rare-earth–iron–boron permanent magnets by rapid solidification processing 11
J. J. Croat (Anderson, IN, U.S.A.)

Effects of magnetostriction in amorphous ferromagnets 13
H. T. Savage and C. Adler (Silver Spring, MD, U.S.A.)

A new design for amorphous core distribution transformer 19
R. Schulz, N. Chretien, N. Alexandrov, J. Aubin and R. Roberge (Varennes, Canada)

Synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering 23
M. Nagakubo and N. Naoe (Tokyo, Japan)

Fast dissipative and diffusional relaxation of the magnetic permeability in ferromagnetic metallic glasses 27
P. Allia, C. Beatrice and F. Vinai (Turin, Italy)

Structural changes of amorphous $Fe_{1-x}C_x$ alloys at $x \approx 0.32$ 31
E. Bauer-Grosse and G. Le Caer (Nancy, France)

Specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe–B–Si alloy 35
J. Zhang, H. Fujimori, A. Inoue and T. Masumoto (Sendai, Japan)

The influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe–B–Si alloys 39
F. Schwartz (Evry, France) and J. Bigot (Vitry-sur-Seine, France)

Magnetic phase transition in amorphous Fe–Ni–B and Fe–B–Si alloys 43
G. Ilonca (Cluj-Napoca, Romania) and V. Florescu (Bucharest, Romania)

Mössbauer studies of amorphous FeB and FeBSi alloys 47
M. Taniwaki and M. Maeda (Sapporo, Japan)

Magnetic properties of amorphous FeCo–SiB alloys annealed in rotating magnetic field 53
O. Kohmoto, H. Fujishima and K. Shibata (Ichikawa, Japan)

Soft magnetic properties of microcrystalline Co–Fe–Si–B alloys prepared by sputtering 57
F. W. A. Dirne, M. Broucha, C. H. M. Witmer and J. L. C. Daams (Eindhoven, The Netherlands)

Magnetic energy density and friction factor in magnetic amorphous ribbons 61
L. F. Magaña and R. Valenzuela (Mexico, Mexico)

Local evidence for re-entrant magnetic behaviour in amorphous $Fe_{90}Zr_{10}$ alloys 65
M. Ghafari, W. Keune, R. A. Brand (Duisburg, F.R.G.), R. K. Day and J. B. Dunlop (Sydney, Australia)

Magnetic ordering behavior of rare-earth-substituted Fe–Zr amorphous alloys 69
G. K. Nicolaides, W. Gong, G. C. Hadjipanayis (Manhattan, KS, U.S.A.) and K. V. Rao (Stockholm, Sweden)

Production and properties of melt-spun Fe–6.5wt.%Si ribbons 73
Y. Sato, T. Sato and Y. Okazaki (Kawasaki, Japan)

Magnetization of amorphous and crystalline Co–Si–B alloys 77
T. Kulik, H. Matyja and B. Lisowski (Warsaw, Poland)

Magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $Fe_{4.5}Co_{66}Ni_{3.5}Nb_2Cr_1B_{14}Si_{19}$ 81
C. Hargitai, C. Kopasz, S. Nemeth and B. Albert (Budapest, Hungary)

Investigation of the magnetic stability of cobalt-based as-quenched amorphous alloys 87
K.-Y. Ho, X. Lu and Q.-X. Ba (Shenyang, China)

Microstructure and soft magnetic properties of rapidly solidified Fe–Al alloys 91
T. Naohara, K. Shinohara (Matsuyama, Japan), A. Inoue, T. Masumoto (Sendai, Japan) and T. Nakamura (Tokyo, Japan)

Magnetic properties of cobalt-rich amorphous alloys for saturable cores 95
K. Yamuchi, Y. Yoshizawa and S. Nakajima (Saitama, Japan)

Effects of surface crystallization on the magnetic properties in iron-rich metallic glasses 101
H. R. Hilzinger and G. Herzer (Hanau, F.R.G.)

Preparation and magnetic properties of Co–Gd amorphous alloy films by the electroplating method 105
N. Usuzaka, H. Yamaguchi and T. Watanabe (Tokyo, Japan)

© Elsevier Sequoia/Printed in The Netherlands

Compositional dependence of magnetostriction of amorphous Co–Fe–B and Co–Ni–B alloys 109
G. Vlasak, M. Jergel and P. Duhaj (Bratislava, Czechoslovakia)

Magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys 113
V. Skumryev, A. Apostolov, L. Bozukov, M. Mikhov and H. Sassik (Sofia, Bulgaria)

Magnetic stability of water-quenched cobalt-based amorphous alloy 119
H. Zhenghe, W. Xinlin and K. Cheng (Beijing, China)

The comparative performance of Nd–(Fe, Co)–B magnets formed by rapid quenching and by sintering 123
Z.-X. Wang, B.-L. Yu, Y.-Z. Wang, J.-H. Huang, L. Yin and M.-Y. Feng (Beijing, China)

Hard magnetic properties of Nd–Fe–B formed by mechanical alloying and solid state reaction 127
L. Schultz and J. Wecker (Erlangen, F.R.G.)

Preferential crystallite orientation in melt spun Nd–Fe–B permanent magnet materials 131
R. Coehoorn and J. Duchateau (Eindhoven, The Netherlands)

Magnetic hardening in melt-spun Fe–R–B alloys 137
C. J. Yang, R. Ray (North Billerica, MA, U.S.A.) and R. C. O'Handley (Cambridge, MA, U.S.A.)

Influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{15}Fe_{77}B_8$ 143
J. M. Cadogan, D. H. Ryan and J. M. D. Coey (Dublin, Ireland)

Crystallite size determinations for melt-spun Fe–Nd–B permanent magnet alloys 147
G. E. Carr, H. A. Davies and R. A. Buckley (Sheffield, U.K.)

Microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films 153
J. Strzeszewski, A. Nazareth, G. C. Hadjipanayis (Manhattan, KS, U.S.A.), K. Aylesworth, Z. R. Zhao and D. J. Sellmyer (Lincoln, NE, U.S.A.)

Magnetic and thermal properties of $(Nd_xFe_{1-x})_{82.5}B_{17.5}$ glasses 157
Z. Altounian and D. H. Ryan (Montreal, Canada)

Magnetic behaviour in amorphous Tb_xCu_{1-x} alloys ($x = 0.18$, 0.22, 0.33, 0.50 and 0.65) 161
B. Boucher, M. Sanquer, R. Tourbot (Gif-sur-Yvette, France), P. Chieux, P. Convert, M. Maret (Grenoble, France) and J. Bigot (Vitry-sur-Seine, France)

10. ELECTRICAL PROPERTIES

Electron transport properties of non-magnetic metallic glasses 165
U. Mizutani (Nagoya, Japan)

Superconductivity in 3d series amorphous transition metal alloys 175
P. Watson, B. Bandyopadhyay, Y. Bo, D. Rathnayaka and D. G. Naugle (College Station, TX, U.S.A.)

Electronic transport properties of glassy Fe–Sc alloys 179
T. Zingg, T. Richmond, G. Leemann, H. Jenny, H. Bretscher and H.-J. Güntherodt (Basel, Switzerland)

Quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0$, 1, 3, 9, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0$, 3 183
R. Richter, D. V. Baxter and J. O. Strom-Olsen (Montreal, Canada)

The hall effect in paramagnetic Co–Zr metallic glasses 187
M. L. Trudeau, R. W. Cochrane and J. Destry (Montreal, Canada)

Electronic properties and localization effects in some hydrogen-doped 4d–3d metallic glasses 191
P. Dubcek, I. Kokanovic, B. Leontic and J. Lukatela (Zagreb, Yugoslavia)

Dependence of T_c on the cooling conditions for liquid-quenched A15 chemical compounds 195
Y. Nishi, S. Tokunaga, H. Harano, A. Hara, Y. Tachiya, N. Ninomiya, M. Kawakami and E. Yajima (Hiratsuka, Japan)

Superconductivity in crystalline and amorphous Nb–Zr thin films 201
A. Cavalleri, M. Dapor, F. Giacomozzi, L. Guzman (Povo, Italy), P. M. Ossi (Milan, Italy) and M. Scotoni (Trento, Italy)

Electrical resistivity of Fe–Cr- and Ni–Cr-based amorphous alloys 207
D. F. Jones, G. Stroink, Z. M. Stadnik and R. A. Dunlap (Halifax, Canada)

Temperature dependence of longitudinal magnetoresistance in amorphous Fe–Cr–Si–B alloys 211
G. Chandra, A. K. Nigam, V. Srinivas, S. Prasad, S. N. Shringi (Bombay, India) R. Krishnan (Bellevue, France) and G. Rajaram (Hyderabad, India)

The scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys 215
J.-C. Chen, Z.-X. Wang, W.-S. Zhan, J.-G. Zhao, B.-G. Shen, X.-N. Zheng (Beijing, China) and Q.-H. Chen (Yunnan, China)

Electron transport in Co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys 219
V. Nguyen Van, S. Fisson (Paris, France), K. Yu-Zhang and M. Harmelin (Vitry, France)

Scattering mechanisms and transport properties of iron–transition metal boron amorphous alloys 223
B. Sas, T. Kemény, J. Tóth and F. I. B. Williams (Budapest, Hungary)

The behaviour of electrical resistivity in amorphous $Co_{100-x}B_x$ alloys 227
F.-X. Li, F. Li, G.-H. Tu and W.-R. Chen (Gansu, China)

Low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass 231
D. M. Herlach (Köln, F.R.G.), A. B. Kaiser (Stuttgart, F.R.G.) and J. Kästner (Aachen, F.R.G.)

Intermediate temperature range electrical resistivity of some metallic glasses 235
P. Lindqvist, P. Petrovic, Z.-Y. Liu and Ö. Rapp (Stockholm, Sweden)

Photoelectron spectrosocopy of metallic glasses: bulk, interface and surface properties 239
P. Oelhafen (Basel, Switzerland)

Electronic structure of amorphous transition metal alloys 245
F. Cyrot-Lackmann, D. Mayou and D. Nguyen Manh (Grenoble, France)

Electronic structure of hydrogenated amorphous Ni–Zr alloys 253
R. Zehringer, P. Oelhafen, H.-J. Güntherodt (Basle, Switzerland), Y. Yamada and U. Mizutani (Nagoya, Japan)

Comparison of amorphous and liquid alloys by photoelectron spectroscopy 257
G. Indlekofer, A. Pflugi, P. Oelhafen, H.-J. Güntherodt (Basel, Switzerland), P. Häussler, H.-G. Boyen and F. Baumann (Karlsruhe, F.R.G.)

On many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses .. 261
Z. M. Stadnik (Halifax, Canada), J. F. van Acker, J. C. Fuggle (Nijmegen, The Netherlands), H. J. W. M. Hoekstra (Groningen, The Netherlands), K. H. J. Buschow (Eindhoven, The Netherlands), T. Miyazakai (Sendai, Japan) and G. Stroink (Halifax, Canada)

Photoemission studies on metallic glasses using synchroton radiation 265
D. Greig (Leeds, U.K.), B. L. Gallagher (Nottingham, U.K.), M. A. Howson (Leeds, U.K.), D. S.-L. Law, D. Norman and F. M. Quinn (Warrington, U.K.)

Electronic structure and local environment of non-transition elements in ternary metallic glasses 269
K. Tanaka, N. Shibagaki and T. Yamauchi (Nagoya, Japan)

Electronic properties of glassy metallic alloys 273
H. Ostermeier and U. Krey (Regensburg, F.R.G.)

X-ray photoelectron spectroscopy on amorphous Cu_xTe_{100-x} and Ne_xTe_{100-x} 277
A. J. Brunner, P. Oelhafen and H.-J. Güntherodt (Basel, Switzerland)

Spectroscopic ellipsometry of amorphous $Ni_{0.95}Tb_{0.05}$ and crystalline nickel 281
B.-Y. Yang, K. Vedam, P. Klosowski and J. S. Lannin (University Park, PA, U.S.A.)

Local structure and stability of amorphous Cu–Fe–Zr alloys 285
M. Taniwake, E. Hatta and M. Maeda (Sapporo, Japan)

Electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements 289
Y. Yamada, Y. Itoh and U. Mizutani (Nagoya, Japan)

Electronic structure and electron transport in Ca–Mg–Cu metallic glasses 295
U. Mizutani, M. Sasaura (Nagoya, Japan), V. L. Moruzzi (Yorktown Heights, NY, U.S.A.) and T. Matsuda (Aichi-ken, Japan)

Magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni–Cu–P alloys 301
I. Bakonyi, H. Ebert, W. Socher, J. Voitländer (Munich, F.R.G.), I. Furó, P. Bánki, A. Lovas (Budapest, Hungary) and U. Mizutani (Nagoya, Japan)

High resolution solid state nuclear magnetic resonance study of the electronic structure of rapidly quenched alloys 305
I. Furó, I. Bakonyi, K. Tompa, A. Lovas (Budapest, Hungary), I. Heinmaa, M. Alla, E. Lippmaa (Tallin, U.S.S.R.) and H. E. Schone (Williamsburg, VA, U.S.A.)

The influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M–Zr (M ≡ Fe, Co or Ni) 309
M. El Amrani, J. Destry and R. W. Cochrane (Montreal, Canada)

Optical reflectivity of glassy Pd–U–Si alloys 311
R. Lapka, G. Leemann and H.-J. Güntherodt (Basel, Switzerland)

Electronic structure of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy 317
R. Zehringer, P. Oelhafen, H.-J. Güntherodt (Basle, Switzerland), Y. Yamada and U. Mizutani (Nagoya, Japan)

11. QUASICRYSTALS

The discovery of quasicrystals through rapid quenching of metallic alloys 321
J. W. Cahn (Gaithersburg, MD, U.S.A.)

Atomic structure of quasicrystals 323
T. Egami (Philadelphia, PA, U.S.A.) and S. J. Poon (Charlottesville, VA, U.S.A.)

Quasicrystals and quasicrystal-related phases in the Al–Mn system 331
L. A. Bendersky (Gaithersburg, MD, U.S.A.)

Quasi-crystals studied with convergent beam electron diffraction 335
S. Last, P. M. Bronsveld, G. Boom and J. Th. M. de Hosson (Groningen, The Netherlands)

The configurational entropy of two-dimensional random Penrose tilings 339
L. C. Chen and F. Spaepen (Cambridge, MA, U.S.A.)

Structure of quasi-crystalline Al–Mn–Ru: X-ray and neutron studies 345
W. Dmowski, T. Egami, P. A. Bancel, P. A. Heiney (Philadelphia, PA, U.S.A.), D. V. Baxter (Montreal, Canada) and J. A. Leake (Cambridge, U.K.)

Local icosahedral packing energetics for d-band metals 349
R. B. Phillips and A. E. Carlsson (St. Louis, MO, U.S.A.)

Electronic properties and resonant states in Al–Mn(Si) alloys 353
C. Berger, D. Pavuna, F. Cyrot-Lackmann and M. Cyrot (Grenoble, France)

Physical properties of icosahedral and glassy Pd–U–Si alloys 357
P. Grütter, H. Bretscher, G. Indlekofer, H. Jenny, R. Lapka, P. Oelhafen, R. Wiesendanger, T. Zingg, H.-J. Güntherodt (Basel, Switzerland) and J.-B. Suck (Karlsruhe, F.R.G.)

Electronic structure of quasi-crystalline AlMn in comparison with amorphous and crystalline alloys 361
J. M. Frigerio, A. Meddour (Paris, France), A. Perez, M. G. Blanchin, J. P. Dupin and J. Rivory (Villeurbanne, France)

Metastable phase boundaries of quasicrystalline phases 367
D. M. Follstaedt and J. A. Knapp (Albuquerque, NM, U.S.A.)

Electronic structure of quasi-crystals 377
M. E. McHenry and R. C. O'Handley (Cambridge, MA, U.S.A.)

Thermal stability of the icosahedral phase in Al–Mn (Mn = 4–15 at.%) alloys prepared by planar flow casting 385
K. Yu-Zhang, M. Harmelin, A. Quivy, Y. Calvayrac, J. Bigot and R. Portier (Vitry-sur-Seine, France)

Crystallization of the Al–Mn icosahedral phase 389
K. F. Kelton and J. C. Holzer (St. Louis, MO, U.S.A.)

An electron-microscopic investigation of the transformation behaviour of Al_6Mg_4Cu quasi-crystalline alloy 393
V. Venkateswara Rao and T. R. Anantharaman (Varanasi, India)

Crystallization of icosahedral Al–Mn–Si 399
D. V. Baxter (Montreal, Canada), R. Schulz (Varennes, Canada), G. J. C. Carpenter (Ottawa, Canada) and J. O. Strom-Olsen (Montreal, Canada)

High pressure structural study of quasicrystalline Al–Mn 403
E. Johnson, J. Staun Olsen (Copenhagen, Denmark), J. V. Wood (Milton Keynes, U.K.) and L. Gerward (Lyngby, Denmark)

Stability of quasicrystalline phases in Al–Fe–V alloys 407
D. J. Skinner, V. R. Ramanan, M. S. Zedalis and N. J. Kim (Morristown, NJ, U.S.A.)

High pressure induced crystallization of rapidly solidified Al–Fe and Al–Mn quasi-crystalline alloys 413
E. S. R. Gopal, S. Baranidharan (Bangalore, India) and J. A. Sekhar (Hyderabad, India)

Peritectoid transformation of quasi-crystals in Al–Mn alloys 417
U. Köster and B. Schuhmacher (Dortmund, F.R.G.)

The structure of icosahedral Al–Mg–Cu alloy 423
Y. Sakurai, C. Kokubu, Y. Tanaka, Y. Watanabe, M. Masuda and S. Nanao (Tokyo, Japan)

Pair distribution function in icosahedral Al–Mn–Si alloy 427
S. Nanao, Y. Tanaka, Y. Sakurai, C. Kokubu, Y. Watanabe, M. Masuda and I. Yasui (Tokyo, Japan)

Preparation and structural investigation by X-ray and neutron scattering of quasi-crystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$ 431
R. Fuchs, S. Jost, H. Rudin, H.-J. Güntherodt (Basel, Switzerland) and P. Fischer (Würenlingen, Switzerland)

Preparation and electrical properties of aluminium-based ternary and quaternary quasi-crystals 435
K. Kimura, H. Yamane, T. Hashimoto and S. Takeuchi (Tokyo, Japan)

Low temperature calorimetric and magnetic properties of Al–Mn and Al–Mn–Si quasi-crystals 439
J. C. Lasjaunias, C. Paulsen, M. Godinho, C. Berger and D. Pavuna (Grenoble, France)

Growth of quasi-crystals 443
S. R. Nishitani, K. N. Ishihara, K. F. Kobayashi and P. H. Shingu (Kyoto, Japan)

New quasi-crystalline and amorphous phases in rapidly quenched Al–Ge–(Cr, Mn) and Al–Si–(Cr, Mn) alloys with high metalloid concentrations 449
H. M. Kimura, A. Inoue, Y. Bizen, T. Masumoto (Sendai, Japan) and H. S. Chen (Murray Hill, NJ, U.S.A.)

Influence of the quenching conditions on the formation of the icosahedral phase in Al Mn alloys 453
J. Bigot, K. Yu-Zhang and M. Harmelin (Vitry-sur-Seine, France)

12. CHEMICAL PROPERTIES

Hydrogen in amorphous and nanocrystalline metals 457
R. Kirchheim, T. Mütschele, W. Kieninger (Stuttgart, F.R.G.), H. Gleiter, R. Birringer and T. D. Koble (Saarbrücken, F.R.G.)

Thermodynamics of H in amorphous alloys: a lattice-gas model 463
W. A. Curtin and J. H. Harris (Cleveland, OH, U.S.A.)

Solid-state reaction and electrocatalytic activity of rapidly quenched $Zr_{50}Co_{30}Ni_{20}$ alloys 469
R. Schulz, A. van Neste, L. Brossard and J. Y. Huot (Varennes, Canada)

Chemical properties and applications of some amorphous alloys 475
K. Asami, A. Kawashima and K. Hashimoto (Sendai, Japan)

Corrosion resistance and passive layer formation in amorphous binary Cr alloys 483
M. Tenhover, G. A. Shrever and R. S. Henderson (Warrensville Heights, OH, U.S.A.)

Laser and electron beam processing of electrodes consisting of amorphous nickel–valve metal–platinum group metal surface alloys on valve metals 489
N. Kumagai, Y. Samata, S. Jikihara (Chiba, Japan), A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Improved corrosion resistance of rapidly solidified Fe–Al bronzes 493
L. E. Collins and V. Mitrovic-Scepanovic (Ottawa, Canada)

The oxidation behavior of amorphous and polycrystalline Zr–Ni alloys 497
D. L. Cocke, G. Liang, M. Owens, D. E. Halverson and D. G. Naugle (College Station, TX, U.S.A.)

Investigation of the microstructure of an $Fe_{91}Zr_9$ catalyst prepared from the amorphous alloy 501
B. Walz, R. Wiesendanger, L. Rosenthaler, H. J. Güntherodt, M. Düggelin and R. Guggenheim (Basel, Switzerland)

Corrosion behavior of rapidly solidified Mg–Nd and Mg–Y alloys 507
S. Krishnamurthy (Wright–Patterson Air Force Base, OH, U.S.A.), M. Khobaib (Dayton, OH, U.S.A.), E. Robertson and F. H. Froes (Wright–Patterson Air Force Base, OH, U.S.A.)

Segregation and structural effects of boron in rapidly solidified copper–boron alloys 513
R. Cookey, J. V. Wood (Milton Keynes, U.K.), E. Johnson O. Henriksen, A. Johansen and L. Sarholt-Kristensen (Copenhagen, Denmark)

Electrochemical behaviour of Cu–Ti glassy alloys 517
G. Jorge, R. Faure, R. Durand and A. R. Yavari (Saint-Martin-d'Heres, France)

Amorphous alloy catalysts for electro-oxidation of methanol and its derivatives in a sulphuric acid solution 521
A. Kawashima (Sendai, Japan), T. Kanda (Kyoto, Japan) and K. Hashimoto (Sendai, Japan)

Electrochemistry of chromium-base binary metallic glasses 525
T. P. Moffat, R. M. Latanision (Cambridge, MA, U.S.A.) and R. R. Ruf (Yorktown Heights, NY, U.S.A.)

Behaviour of Fe–Cr–P–C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy solution interface 529
O. de Bouvier, B. de Guillebon (Pont-à-Mousson, France) and J. J. Rameau (Saint-Martin-d'Hères, France)

The oxidation behaviour of some cobalt-based amorphous alloys 533
A. M. Dark, G. Wei and B. Cantor (Oxford, U.K.)

Hydrogen in some Pd–Si-based amorphous alloys and in the crystallized states 539
K. Baba and Y. Sakamoto (Nagasaki, Japan)

Properties of as-quenched and hydrogenated Cu–Fe–Ti alloys 543
R. A. Dunlap, G. Stroink, Z. M. Stadnik and K. Dini (Halifax, Canada)

Decomposition of formic acid on $Fe_{80}B_{20}$ metallic glasses 547
G. Kisfaludi, K. Matusek, Z. Schay, L. Guczi and A. Lovas (Budapest, Hungary)

Simulation of the influence of hydrogen on the structural properties of amorphous iron 551
N. A. Vatolin, V. A. Polukhin, R. M. Belyakova and E. A. Pastukhov (Sverdlovsk, U.S.S.R.)

AUTHOR INDEX 555

SUBJECT INDEX 557